

SUPPLEMENTARY.

Table S1. Baseline scores (Visit 1) of the ICD-11 Symptoms Qualifier Scales domains, the DSM-5 Clinician-Rated Dimensions of Psychosis Symptom Severity scale dimensions, Clinical Global Impression scale, 4-Items Negative Symptoms Assessment scale, and Personal and Social Performance scales

	OP Me [0.25; 0.75]	PP1M Me [0.25; 0.75]	PP3M Me [0.25; 0.75]	p-value	Kruskal-Wallis H-test
ICD-11 domains (SQS)					
Positive symptoms	1 [1; 2]	1 [1; 1]	1 [1; 1]	0.493	1.413
Negative symptoms	2 [1; 2]	2 [2; 2]	2 [2; 2]	0.542	1.226
Depression	0 [0; 1]	0 [0; 1]	0 [0; 1]	0.342	2.144
DSM-5 dimensions (CRDPSS)					
Hallucinations	2 [1; 2]	1 [1; 2]	1 [0; 1]	0.002	12.978
Delusions	2 [1; 2]	2 [1; 2]	2 [1; 2]	0.629	0.928
Disorganized speech	2 [1; 2]	2 [1; 2]	2 [1; 2]	0.800	0.447
Psychomotor symptoms	0 [0; 1]	1 [0; 2]	1 [0; 1]	0.240	2.854
Negative symptoms	2 [2; 3]	3 [2; 3]	3 [2; 3]	0.002	12.757
Cognitive symptoms	2 [1; 2]	2 [1; 2]	2 [2; 2]	0.084	4.962
Depression	0 [0; 2]	0 [0; 1]	0 [0; 1]	0.445	1.618
Mania	0 [0; 0]	0 [0; 0]	0 [0; 0]	0.345	2.131
Total score for scales					
CGI-S	4 [4; 5]	4 [4; 5]	4 [4; 5]	0.768	0.528
NSA-4	19 [17; 21]	19 [16; 22]	21 [18; 23]	0.042	6.343
PSP	48 [43; 55]	52 [44; 57]	52 [45; 57]	0.502	1.379

Note: ICD-11 — International Classification of Diseases 10th Revision; DSM-5 — Diagnostic and Statistical Manual of mental disorders, fifth edition; SQS — Symptoms Qualifier Scales; CRDPSS — Clinician-Rated Dimensions of Psychosis Symptom Severity scale; OP — oral paliperidone; PP1M — paliperidone palmitate once a month; PP3M — paliperidone palmitate once every three months; ANOVA — one-way analysis of variance; CGI-S — Clinical Global Impression scale; NSA-4 — 4-Items Negative Symptoms Assessment scale; PSP — Personal and Social Performance scale.

ПРИЛОЖЕНИЕ.

Таблица S1. Исходные значения (на визите 1) подшквал «Шкалы дифференцированной оценки симптомов», дименсий «Шкалы клинической оценки тяжести симптомов психоза», шкал «Шкала общего клинического впечатления — тяжесть состояния», «Шкала оценки негативных симптомов» и «Шкала личностного и социального функционирования»

Домены МКБ-11 Дименсии DSM-5 Общий балл шкал	ПП Me [0,25, 0,75]	ПП1М Me [0,25, 0,75]	ППЗМ Me [0,25, 0,75]	p-value	H Краскела–Уоллиса
МКБ-11 (SQS)					
Позитивные симптомы	1 [1,2]	1 [1,1]	1 [1,1]	0,493	1,413
Негативные симптомы	2 [1,2]	2 [2,2]	2 [2,2]	0,542	1,226
Депрессия	0 [0,1]	0 [0,1]	0 [0,1]	0,342	2,144
DSM-5 (CRDPSS)					
Галлюцинации	2 [1,2]	1 [1,2]	1 [0,1]	0,002	12,978
Бред	2 [1,2]	2 [1,2]	2 [1,2]	0,629	0,928
Дезорганизованная речь	2 [1,2]	2 [1,2]	2 [1,2]	0,800	0,447
Психомоторные симптомы	0 [0,1]	1 [0,2]	1 [0,1]	0,240	2,854
Негативные симптомы	2 [2,3]	3 [2,3]	3 [2,3]	0,002	12,757
Когнитивные симптомы	2 [1,2]	2 [1,2]	2 [2,2]	0,084	4,962
Депрессия	0 [0,2]	0 [0,1]	0 [0,1]	0,445	1,618
Мания	0 [0,0]	0 [0,0]	0 [0,0]	0,345	2,131
Шкалы					
CGI-S	4 [4,5]	4 [4,5]	4 [4,5]	0,768	0,528
NSA-4	19 [17,21]	19 [16,22]	21 [18,23]	0,042	6,343
PSP	48 [43,55]	52 [44,57]	52 [45,57]	0,502	1,379

Примечание: МКБ-11 — Международная классификация болезней 10-го пересмотра; DSM-5 — Диагностическое и статистическое руководство по психическим расстройствам, пятое издание; SQS — «Шкала дифференцированной оценки симптомов»; CRDPSS — «Шкала клинической оценки тяжести симптомов психоза»; ПП — пероральная форма палиперидона; ПП1М — палиперидона пальмитат для введения 1 раз в месяц; ППЗМ — палиперидона пальмитат для введения 1 раз в 3 месяца; ANOVA — однофакторный дисперсионный анализ; CGI-S — «Шкала общего клинического впечатления — тяжесть состояния»; NSA-4 — «Шкала оценки негативных симптомов» из 4 пунктов; PSP — «Шкала личностного и социального функционирования».