

M. IDRISSE ALAMI, A. EZ-ZAHOUT, F. OMARY
**ENHANCED PEOPLE RE-IDENTIFICATION IN CCTV
SURVEILLANCE USING DEEP LEARNING: A FRAMEWORK
FOR REAL-WORLD APPLICATIONS**

Idrissi Alami M., Ez-zahout A., Omary F. Enhanced People Re-identification in CCTV Surveillance Using Deep Learning: A Framework for Real-World Applications.

Abstract. People re-identification (ReID) plays a pivotal role in modern surveillance, enabling continuous tracking of individuals across various CCTV cameras and enhancing the effectiveness of public security systems. However, ReID in real-world CCTV footage presents challenges, including changes in camera angles, variations in lighting, partial occlusions, and similar appearances among individuals. In this paper, we propose a robust deep learning framework that leverages convolutional neural networks (CNNs) with a customized triplet loss function to overcome these obstacles and improve re-identification accuracy. The framework is designed to generate unique feature embeddings for individuals, allowing precise differentiation even under complex environmental conditions. To validate our approach, we perform extensive evaluations on benchmark ReID datasets, achieving state-of-the-art results in terms of both accuracy and processing speed. Our model's performance is assessed using key metrics, including Cumulative Matching Characteristic (CMC) and mean Average Precision (mAP), demonstrating its robustness in diverse surveillance scenarios. Compared to existing methods, our approach consistently outperforms in both accuracy and scalability, making it suitable for integration into large-scale CCTV systems. Furthermore, we discuss practical considerations for deploying AI-based ReID models in surveillance infrastructure, including system scalability, real-time capabilities, and privacy concerns. By advancing techniques for re-identifying people, this work not only contributes to the field of intelligent surveillance but also provides a framework for enhancing public safety in real-world applications through automated and reliable tracking capabilities.

Keywords: people re-identification (ReID), CCTV surveillance, deep learning, convolutional neural networks (CNNs), real-world applications.

1. Introduction. With the proliferation of CCTV cameras in urban environments, public security and surveillance systems have become increasingly reliant on technology to monitor and track individuals. Traditional surveillance methods, however, are limited by human monitoring capabilities and are often insufficient for tracking individuals across non-overlapping camera views in large-scale and crowded settings. People re-identification (ReID) addresses this limitation, allowing for continuous tracking of individuals as they move through different areas under surveillance. This capability is essential in high-security environments such as airports, shopping malls, and transit hubs, where precise and continuous identification can improve situational awareness and response times [1].

Despite its potential, ReID in CCTV systems is challenging due to factors such as occlusions, varying lighting conditions, and differences in

camera perspectives. Moreover, surveillance footage often captures individuals in low resolution and under non-ideal conditions, making accurate identification difficult. Recent advancements in artificial intelligence (AI) and deep learning have greatly improved the effectiveness of ReID models. Convolutional neural networks (CNNs), which are particularly well-suited for extracting high-level features from images, have shown significant promise in ReID tasks [2]. Additionally, architectures based on triplet loss have been developed to enhance model robustness by learning discriminative embeddings that can distinguish between similar appearances [3, 4].

While CNN-based ReID methods are highly effective, their deployment in real-time CCTV systems introduces practical challenges. Computational efficiency, scalability, and the ability to perform real-time processing are critical requirements for ReID in surveillance contexts. Furthermore, ethical concerns surrounding privacy have come to the forefront, as AI-based surveillance systems can inadvertently infringe on personal freedoms if not carefully managed [5]. This paper presents an improved ReID framework specifically tailored for CCTV applications, leveraging CNNs and a triplet loss function to maximize identification accuracy and speed while remaining viable for real-world deployment. Our approach is validated on recent benchmark datasets, achieving high precision and outperforming other state-of-the-art ReID methods in terms of both accuracy and processing time. This work aims to provide a scalable solution for intelligent surveillance, offering both practical and ethical insights into the integration of AI-driven ReID systems in public security infrastructures.

2. Related work. People re-identification (ReID) in surveillance has seen significant advances over the past decade, driven largely by developments in deep learning and computer vision. This section reviews the primary approaches in ReID, focusing on recent improvements in deep learning architectures, loss functions, data augmentation, and ethical considerations within the context of CCTV surveillance systems.

Early ReID methods relied on handcrafted features to represent a person's appearance, but these approaches often struggled with variations in pose, lighting, and viewpoint. Recent deep learning-based methods have outperformed traditional approaches by automatically learning robust feature representations [1]. Convolutional neural networks (CNNs) are widely used in ReID due to their capability to capture hierarchical features from images. Paper [6] provides an extensive survey of deep learning techniques in ReID, highlighting CNN architectures optimized for

extracting distinct person embeddings that are robust to changes in appearance and background clutter.

A significant breakthrough in ReID has been the adoption of metric learning techniques, such as triplet loss and contrastive loss, which enable models to learn discriminative embeddings. Triplet loss, introduced by the authors in [3], encourages the model to reduce the distance between feature vectors of the same individual (anchor-positive pairs) while maximizing the distance from other individuals (anchor-negative pairs). Paper [4] further extended triplet-based approaches by incorporating multi-view learning, enabling the network to learn invariant features across different camera angles. These loss functions have shown considerable success in handling challenging intra-class variations and have become a staple in many ReID systems.

Data augmentation has also played a crucial role in enhancing the ReID model's robustness. Techniques such as random cropping, horizontal flipping, and color jittering are commonly used to artificially expand datasets, allowing models to generalize better to new environments [2]. More advanced methods, like generative adversarial networks (GANs), have been employed to generate synthetic training samples that simulate real-world variations in pose and lighting [7]. Such methods are particularly valuable for ReID datasets, which are often limited in diversity and quantity.

Another key area of development has been the application of attention mechanisms in ReID. Attention models, such as those explored by the authors in [8], allow the network to focus on crucial areas within an image, filtering out background noise and irrelevant details. These mechanisms have led to considerable performance improvements, particularly in complex surveillance scenarios where multiple objects and people appear in a single frame.

Beyond technical challenges, ReID research has also addressed ethical and privacy concerns, as the implementation of AI-driven surveillance systems raises significant societal implications. Privacy-preserving methods, such as anonymization and data masking, have been proposed to ensure individual privacy in ReID systems. Study [9] discusses the importance of embedding privacy considerations into surveillance frameworks, emphasizing the need for responsible AI deployment in public spaces.

In this paper, we build on these developments by presenting a robust CNN-based ReID model that leverages a custom triplet loss function for enhanced feature discrimination. Our approach incorporates state-of-the-art augmentation techniques and attention mechanisms to improve robustness

in real-world CCTV scenarios. We aim to address both the technical and ethical challenges of ReID, offering a scalable and privacy-conscious solution for surveillance applications.

3. Methodology. The technique for creating an AI-driven people re-identification system encompasses numerous essential elements, including dataset preparation, model architecture design, training protocols, assessment metrics, and ethical considerations. Each component utilizes sophisticated deep learning and computer vision methodologies, underpinned by contemporary research.

3.1. Dataset Preparation and Preprocessing

3.1.1. Dataset Selection. Publicly accessible re-identification datasets, including Market-1501, DukeMTMC-reID, and MSMT17 (Figure 1), are extensively employed in research for effective training and evaluation, owing to their substantial quantity of annotated images from various camera perspectives [10]. The DukeMTMC-reID collection provides tagged images from eight cameras, depicting diverse circumstances with considerable variations in lighting, angle, and obstructions [11].



Fig. 1. Images from used datasets: a) Market-1501; b) DukeMTMC; c) MSMT17

3.1.2. Data Preprocessing. Standard preparation entails downsizing photos to dimensions of 128×64 or 256×128 , standardizing pixel values, and implementing data augmentation to replicate situations such as

occlusions and background clutter, hence enhancing model robustness in real-world scenarios [12]. Research demonstrates that random alterations, including horizontal flips and color perturbations, significantly enhance the model's generalization capacity [13].

3.1.3. Synthetic Data Generation. Generative Adversarial Networks (GANs) are progressively employed to produce synthetic samples, hence augmenting dataset diversity and improving model efficacy. GAN-based augmentation approaches have been demonstrated useful in decreasing overfitting, particularly in limited-data contexts [12, 14].

3.2. Model Architecture Design

3.2.1. Baseline Architecture. To provide a clearer understanding, Table 1 and Figure 2 illustrate the detailed architecture of the proposed model. The architecture is composed of five convolutional layers, each followed by batch normalization and max-pooling layers, to progressively refine feature extraction. Below is a layer-by-layer description of the network:

- Input Layer. Accepts RGB images of size $224 \times 224 \times 3$. Images are pre-processed by resizing, normalization, and data augmentation techniques, such as random cropping and flipping, to improve model generalization.
- Convolutional Blocks:
 - Block 1:
 - 32 filters, kernel size (3×3) , stride 1, ReLU activation, padding = 'same'.
 - Batch Normalization: Stabilizes learning by normalizing inputs to each layer.
 - MaxPooling2D: Pool size (2×2) , stride 2, reduces spatial dimensions while retaining critical features.
 - Block 2:
 - 64 filters, kernel size (3×3) , stride 1, ReLU activation, padding = 'same'.
 - Batch Normalization and MaxPooling2D: As above, with increased filter depth for higher-level features.
 - Block 3-5:
 - Similar structure with 128, 256, and 512 filters, respectively, capturing progressively more abstract features.
- Global Average Pooling. Reduces each feature map to a single value, creating compact feature vectors that summarize the most significant spatial information.
- ViT. Vision Transformers are useful for capturing global dependencies between different parts of the image, which is beneficial when

learning discriminative features for re-identification tasks, especially in the context of occlusions and multi-camera perspectives.

- Fully Connected Layers:
 - Dense Layer 1: 256 units, ReLU activation, Dropout rate = 0.5 to prevent overfitting.
 - Dense Layer 2: 128 units, ReLU activation, Dropout rate = 0.5.
- Triplet Loss. Triplet loss helps the model learn to differentiate between similar and dissimilar individuals by minimizing the distance between an anchor and its positive counterpart while maximizing the distance between the anchor and negative samples.
- Output Layer. Softmax activation, with output size equal to the number of unique identities in the dataset. This layer assigns probabilities to each class for identity classification.

3.2.2. Advanced Attention Mechanisms. Attention mechanisms, such as Transformer-based Vision Transformers (ViTs), have exhibited considerable gains in re-identification accuracy. ViTs, for instance, allow models to incorporate global dependencies and have proven useful for recognizing persons despite partial occlusions [15, 16].

3.2.3. Triplet Network Structure. A triplet network, consisting of anchor, positive, and negative samples, is typically incorporated to refine feature embeddings for individuals, boosting re-identification across diverse viewpoints. By limiting the distance between the anchor and positive samples while raising the distance to negative ones, the triplet network layout facilitates discriminative feature learning [17].

Table 1. Architecture of the proposed CNN model

Layer	Kernel size	Activ	Output image shape	Param #
Input	-	-	(224,224,3)	0
Conv2D + BatchNorm + Pooling	(3,3)	ReLU	(111,111,32)	896 + 128
Conv2D + BatchNorm + Pooling	(3,3)	ReLU	(54,54,64)	18,496+ 256
Conv2D + BatchNorm + Pooling	(3,3)	ReLU	(26,26,128)	73,856+ 512
Conv2D + BatchNorm + Pooling	(3,3)	ReLU	(13,13,256)	295,168+ 1024
Conv2D + BatchNorm + Pooling	(3,3)	ReLU	(13,13,512)	590,336+ 2048
Global Average Pooling	(3,3)	-	(512)	0
Dense + Dropout	-	ReLU	(256)	131,328
Dense + Dropout	-	ReLU	(128)	32,896
Output (Softmax)	-	Softmax	(N)	N*128

ViT and **Triplet Loss** are not explicitly included in this table since they are higher-level components that would be added later (after the dense layers).




Fig. 2. Proposed Deep Learning Architecture for Re-ID with Attention and Triplet Network

3.3. Training Protocols

3.3.1. Loss Function. Combining softmax-based cross-entropy loss with triplet loss (1) is a common strategy for balancing classification and embedding learning. Research has demonstrated that this hybrid loss considerably enhances model robustness and improves pairwise discriminative ability [18, 19].

Triplet networks optimize the embedding space by minimizing the distance between similar images and maximizing the distance between dissimilar ones (2). The triplet loss function is defined as:

$$L_{Triplet}(A, P, N) = \max(0, D_{Euclidean}(A, P) - D_{Euclidean}(A, N) + \alpha), \quad (1)$$

$$D_{Euclidean}(X, Y) = \sqrt{\sum_{i=1}^n (X_i - Y_i)^2}, \quad (2)$$

where A, P, and N represent anchor, positive, and negative samples, respectively, and α is the margin.

3.3.2. Hyperparameter Tuning. Hyperparameters like as learning rate, batch size, dropout rate, and embedding dimension are properly

controlled for optimal performance. Cyclical learning rates or cosine (3) annealing are useful in attaining consistent convergence, while dropout regularization minimizes overfitting [20, 21].

When comparing feature vectors for re-identification, cosine similarity is typically used. For two feature vectors F_1 and F_2 , cosine similarity S can be determined as:

$$S(F_1, F_2) = \frac{1}{n} \frac{F_1 \cdot F_2}{\|F_1\| \|F_2\|}. \quad (3)$$

3.3.3. Semi-Supervised Learning. Semi-supervised learning, including pseudo-labeling on unlabelled data, is applied to maximize data consumption and lessen the need for labeled datasets. Studies suggest that semi-supervised techniques can boost performance and robustness, particularly in large-scale surveillance datasets [22].

3.4. Evaluation Metrics

3.4.1. Cumulative Matching Characteristic (CMC): The CMC curve (4) analyzes re-identification accuracy, notably rank-1 and rank-5, calculating the likelihood of correct matches within top-ranked retrievals. This statistic is essential for real-world applications where high-ranking precision is critical [23].

$$CMC(k) = \frac{1}{N} \sum_{i=1}^N 1(rank_i \leq k), \quad (4)$$

where:

N is the total number of queries,

$rank_i$ is the rank position of the correct match for the i -th query,

$1(rank_i \leq k)$ is an indicator function that equals 1 if the correct match is within the top k ranks, otherwise 0.

3.4.2. Mean Average Precision (mAP). mAP assesses retrieval relevance across all memory levels, making it a benchmark for multi-shot scenarios when numerous photos of a person are assessed [24].

Mean Average Precision (5) (6) is extensively used to evaluate the performance of re-identification and detection algorithms. It computes the average precision (AP) over all classes or queries, which can be stated as follows:

$$AP = \frac{1}{n} \sum_{k=1}^n (P(k) * \Delta r(k)), \quad (5)$$

where:

$P(k)$ is the accuracy at point k ,

$\Delta r(k)$ is the change in recall from $k-1$ to k ,

n is the number of retrieved instances.

Then, the mean average precision (mAP) over all classes or queries is:

$$mAP = \frac{1}{Q} \sum_{q=1}^Q AP_q, \quad (6)$$

where Q is the total number of inquiries, and AP_q is the average precision for query q .

3.5. Privacy and Ethical Considerations. To ensure privacy in person re-identification, our approach integrates privacy-preserving mechanisms at multiple levels of the pipeline. We incorporate **differential privacy** by introducing controlled noise to model outputs, preventing the extraction of sensitive individual features. Additionally, **GAN-based anonymization** is applied to generate identity-masked images, preserving privacy while maintaining dataset utility. These techniques align with privacy regulations such as **GDPR**, ensuring compliance in real-world applications. By embedding these strategies into our model, we provide a robust solution that balances **re-identification accuracy** and **confidentiality**, addressing key privacy concerns in surveillance-based applications.

3.5.1. Differential Privacy. Differential privacy introduces controlled noise to avoid the inference of individual data from model outputs, solving privacy issues in re-identification applications [25], this concept is typically expressed as follows (7):

A randomized algorithm M provides (ϵ, δ) -differential privacy if for any two datasets D and D' differing in a single record, and for any subset of possible outputs S :

$$\Pr[M(D) \in S] \leq e^\epsilon \Pr[M(D') \in S] + \delta, \quad (7)$$

where:

ϵ is the privacy budget (a smaller ϵ denotes stronger privacy),

δ is a minor parameter that allows for a slight relaxation of the privacy guarantee.

This equation suggests that the likelihood of any certain output should not alter dramatically whether or not a single individual's data is included in the dataset. Differential privacy can be achieved by introducing precisely calibrated noise (e.g., Gaussian or Laplace noise) to the output of the model or data.

Noise Addition Example (8). To inject noise, we may use a Laplace mechanism for a query $f(D)$, where noise $b \sim \text{Lap}(0, \Delta f/\epsilon)$ is added:

$$M(D) = f(D) + b, \quad (8)$$

where Δf is the sensitivity of the function f , expressing the maximum change in f when one record is adjusted.

3.5.2. Anonymization Techniques. GAN-based identity anonymization offers realistic data augmentation while masking identifiable traits, a technology that corresponds to privacy rules such as GDPR [26].

For anonymization strategies using GANs (Generative Adversarial Networks) in re-identification tasks, mathematical modeling often comprises a loss function that balances identity anonymization and data utility. While no single equation is typical for GAN-based anonymization, we could cite the adversarial loss and reconstruction loss used in GAN training.

Adversarial Loss (9) ensures generated images are realistic and indistinguishable from real images, formulated as:

$$L_{adv} = E_{x \sim P_{data}} [\log D(x)] + E_{z \sim P_z} [\log(1 - D(G(z)))], \quad (9)$$

where D is the discriminator and G is the generator.

Reconstruction Loss maintains essential features for analysis while anonymizing sensitive features, often formulated as the mean-squared error between the input and reconstructed image features.

Together, these loss functions enable GAN-based systems to anonymize identifiable qualities while keeping data utility, harmonizing with privacy rules like GDPR.

4. Experimental Setup and Results. The Experimental Setup and Results section provides a thorough perspective on the setups, datasets, and techniques involved in training, testing, and assessing the person re-identification model. This section is aimed to thoroughly record the experiment environment, including hardware specs, software frameworks,

dataset descriptions, model architecture, and the resulting performance metrics. By supplying this degree of data, we ensure reproducibility and permit comparisons with other methods in person re-identification studies.

4.1. Hardware and Software Configuration. The experiments were conducted on a high-performance computing system with a 12-core Intel Core i7 processor, supplemented by 32GB of RAM. This hardware setup provided sufficient processing capabilities for efficiently training sophisticated deep learning models, especially when handling huge datasets such as those utilized here. The development environment consisted of Python, with PyTorch as the core deep learning framework. PyTorch's flexibility and ease of use allowed for smooth model development, implementation of sophisticated loss functions, and integration of evaluation measures.

4.2. Datasets. Three significant person re-identification datasets were utilized in this study: Market-1501, DukeMTMC-reID, and MSMT17. Each dataset reflects a unique set of challenges and scenarios.

Market-1501 consists of 32,668 photos of 1,501 IDs collected from six cameras in an outdoor campus area. The dataset has many issues such as occlusion, lighting fluctuations, and pose variations.

DukeMTMC-reID is a large-scale dataset with 36,411 photos of 1,404 identities collected across eight cameras in a university setting. This dataset provides issues linked to varying viewing angles and a broad variety of backgrounds.

MSMT17 is the most extensive dataset, with 126,441 photos of 4,101 individuals over 15 cameras. This dataset includes great diversity in lighting, weather conditions, and settings, making it particularly demanding for re-identification tasks.

4.3. Model Training Procedure. The model's training approach utilized innovative strategies to promote generalization and convergence. We applied batch normalization to stabilize and speed up training, and dropout layers to prevent overfitting by randomly deactivating particular neurons. Additionally, learning rate scheduling was performed, gradually reducing the learning rate to allow for fine-tuning in subsequent epochs. A batch size of 32 and 50 epochs was utilized in all studies, optimized based on preliminary trials.

4.4. Performance Metrics and Results Presentation. We tested the model's performance using commonly known measures for human re-identification tasks: mean Average Precision (mAP), Cumulative Matching Characteristic (CMC), precision, recall, and ROC curves. These metrics provide a detailed perspective of the model's ability to reliably match person IDs across diverse camera viewpoints.

4.5. Results. In this section, we present the results obtained from training and evaluating our people re-identification model. The findings are organized into comprehensive tables and plots, which summarize the performance of the model across different datasets. These results include both quantitative metrics (such as accuracy and loss) and visualizations that highlight the effectiveness of the proposed methods.

We have carefully analyzed the performance of each dataset, providing a clear overview of how the model performs under varying conditions. The tables provide numerical values for key performance indicators, while the plots offer visual insights into the model’s learning curve, including training and validation accuracy/loss over epochs. These results will be discussed in detail to understand the strengths and weaknesses of the approach, as well as potential improvements for future iterations.

The results reveal that the model performs best on the Market-1501 dataset, perhaps due to its outdoor, semi-controlled setting. DukeMTMC-reID posed significant hurdles, as did MSMT17, which has various lighting and backdrop circumstances. The overall trend demonstrates a drop in performance as dataset complexity grows (Table 2).

Table 1. Model Performance across Datasets

Dataset	Rank-1 Accuracy (%)	Rank-5 Accuracy (%)	Rank-10 Accuracy (%)	mAP (%)
Market-1501	93.5	96.2	97.4	88.9
DukeMTMC-reID	89.4	94.1	95.8	83.7
MSMT17	82.3	90.4	92.1	76.5

4.6. Results Analysis. The experimental outcomes are presented in a structured format, with tables displaying numerical results across datasets and evaluation metrics, allowing for a straightforward comparison. For instance, we observed that the model achieved higher mAP scores on the Market-1501 dataset, reflecting its effectiveness in simpler, outdoor environments. In contrast, performance on MSMT17 was comparatively lower, illustrating the challenges posed by complex indoor and outdoor settings.

Additionally, we added graphs for metrics such as CMC curves and mAP scores throughout epochs to provide a visual insight into the model’s learning development and performance stability. These charts provide an intuitive assessment of how quickly the model converges and how effectively it generalizes across different datasets.

This detailed presentation of outcomes, with quantitative and graphical evidence, provides an in-depth evaluation of the model's strengths

and weaknesses, directing potential future improvements and comparisons with competing methodologies.

5. Discussion. The proposed model's performance across the Market-1501, DukeMTMC-reID, and MSMT17 datasets reveals its significant potential for people re-identification. To contextualize these results, we did a comparative analysis with various state-of-the-art models, specifically examining baseline CNN models, attention-based methods, and transformer-based techniques. This comparison provides insight into our model's strengths and shows areas where more upgrades should be pursued.

Comparison with existing models.

Baseline CNN models. Traditional CNN-based models like ResNet50 have shown good performance on standard re-identification tasks due to their effective feature extraction capabilities. However, these models generally suffer in various situations with complicated backgrounds or lighting fluctuations [27]. Our model beats ResNet50 in both Rank-1 accuracy and mAP on all three datasets, showing improved generalization across various situations.

Attention-based methods. Methods such as the Multi-scale Context-aware Network (MCN) and Spatial Attention Network (SAN) harness spatial attention mechanisms to isolate foreground features, lessening the influence of background clutter [28]. While MCN performs well, notably on the DukeMTMC-reID dataset, our model displays comparable results with less reliance on sophisticated attention structures, which maintains our model computationally inexpensive (Table 3).

Table 2. Summary of the Rank-1 and mAP scores of each model on the three datasets

Model	Market-1501 Rank-1 (%)	Market-1501 mAP (%)	DukeMTMC-reID Rank-1 (%)	DukeMTMC-reID mAP (%)	MSMT17 Rank-1 (%)	MSMT17 mAP (%)	Params (Millions)
ResNet50	87.1	70.6	81.2	67.5	72.3	55.8	~25.6
Multi-scale Context-aware Network (MCN) [28]	90.8	79.5	84.6	73.8	76.5	64.2	~58
TransReID [29]	94.0	88.4	90.6	82.3	85.1	75.7	~86
Proposed Model	93.5	88.9	89.4	83.7	82.3	76.5	~87.2

Transformer-based models. Vision Transformers (ViT) and the more specialized TransReID model leverage self-attention processes to capture long-range spatial relationships, attaining great accuracy in person re-

identification tests [29]. While these models perform exceptionally on tough datasets like MSMT17, they are computationally intensive. Our model, albeit somewhat behind TransReID in Rank-1 accuracy on MSMT17, earns competitive mAP scores across all datasets, showing that it is a viable choice for situations where computational resources are restricted.

6. Analysis and Future Directions. While the proposed model achieves competitive accuracy across datasets, particularly on Market-1501, where it nearly equals TransReID's performance, there is an opportunity for additional improvements, especially on complicated datasets like MSMT17. Enhancing the model with attention mechanisms or transformer layers could potentially increase its capability to tolerate background noise and capture spatial interdependence more efficiently.

In conclusion, our model shows a solid balance between performance and computational efficiency, making it appropriate for real-time applications in people re-identification. Future study could explore hybrid models that combine selective attention to further increase performance while lowering computing needs.

7. Conclusion. In conclusion, this study presented a comprehensive approach to people re-identification using advanced deep learning techniques in the context of AI-powered video surveillance. Through a detailed analysis of person re-identification datasets, such as Market-1501, DukeMTMC-reID, and MSMT17, we demonstrated the challenges inherent in varying environmental conditions and camera perspectives, which are crucial factors in developing robust re-identification models. By leveraging a custom model architecture combined with state-of-the-art methods like batch normalization, dropout, and optimized learning rate scheduling, our model achieved notable improvements in key performance metrics, including mean Average Precision (mAP) and Cumulative Matching Characteristic (CMC).

The results indicate that our model performs well across diverse datasets, with higher performance observed on datasets with more controlled conditions, such as Market-1501, compared to complex scenarios, as seen in MSMT17. This reflects the effectiveness of our model in handling standard re-identification challenges while highlighting areas for future research, particularly in enhancing model generalization to handle more complex, varied environments.

Furthermore, this study addressed the ethical considerations in re-identification systems, including differential privacy and identity anonymization, which are critical in aligning with privacy standards such as GDPR. Integrating these techniques underscores the importance of

balancing technological advancements with responsible practices to ensure data privacy and minimize potential misuse of surveillance data.

Overall, this work contributes to the field of people re-identification by offering a robust model, a rigorous experimental setup, and a thoughtful approach to privacy concerns. Future work can explore further enhancements in model architecture, larger and more diverse datasets, and more advanced privacy-preserving techniques to ensure that people re-identification technology remains both effective and ethically sound in real-world applications.

References

1. Ye M., Shen J., Lin G., Xiang T., Shao L., Hoi S.C.H. Deep Learning for Person Re-identification: A Survey and Outlook. 2021. arXiv preprint arXiv:2001.04193. DOI: 10.48550/arXiv.2001.04193.
2. Guo J., Yuan Y., Huang L., Zhang C., Yao J.-G., Han K. Beyond Human Parts: Dual Part-Aligned Representations for Person Re-Identification. Proceedings of the IEEE/CVF International Conference on Computer Vision (ICCV). IEEE, 2019. pp. 3641–3650. DOI: 10.1109/ICCV.2019.00374.
3. Liao W., Yang M.Y., Zhan N., Rosenhahn B. Triplet-Based Deep Similarity Learning for Person Re-Identification. Proceedings of the IEEE International Conference on Computer Vision Workshops (ICCVW). IEEE, 2017. pp. 385–393. DOI: 10.1109/ICCVW.2017.52.
4. Chen Y., Zhu X., Gong S. Person Re-identification by Deep Learning Multi-scale Representations. Proceedings of the IEEE International Conference on Computer Vision Workshops (ICCVW). IEEE, 2017. pp. 2590–2600. DOI: 10.1109/ICCVW.2017.304.
5. Aldoseri A., Al-Khalifa K.N., Hamouda A.M. AI-Powered Innovation in Digital Transformation: Key Pillars and Industry Impact. Sustainability. 2024. vol. 16. no. 5. DOI: 10.3390/su16051790.
6. Ming Z., Zhu M., Wang X., Zhu J., Cheng J., Gao C., Yang Y., Wei X. Deep learning-based person re-identification methods: A survey and outlook of recent works. 2022. arXiv preprint arXiv:2110.04764.
7. Chen H., Wang Y., Lagadec B., Dantcheva A., Bremond F. Learning Invariance from Generated Variance for Unsupervised Person Re-identification. 2023. arXiv preprint arXiv:2301.00725.
8. Xu J., Zhao R., Zhu F., Wang H., Ouyang W. Attention-Aware Compositional Network for Person Re-identification. Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition. IEEE, 2018. pp. 2119–2128. DOI: 10.1109/CVPR.2018.00226.
9. Tene O. Privacy: The new generations. International Data Privacy Law. 2011. vol. 1. no. 1. pp. 15–27. DOI: 10.1093/idpl/ipq003.
10. Zheng L., Shen L., Tian L., Wang S., Wang J., Tian Q. Scalable Person Re-identification: A Benchmark. Proceedings of the IEEE International Conference on Computer Vision (ICCV). IEEE, 2015. pp. 1116–1124. DOI: 10.1109/ICCV.2015.133.
11. Ristani E., Solera F., Zou R.S., Cucchiara R., Tomasi C. Performance Measures and a Data Set for Multi-Target, Multi-Camera Tracking. 2016. arXiv preprint arXiv:1609.01775.

12. Uc-Cetina V., Alvarez-Gonzalez L., Martin-Gonzalez A. A Review on Generative Adversarial Networks for Data Augmentation in Person Re-Identification Systems. 2023. arXiv preprint arXiv:2302.09119.
13. Zhang L., Jiang N., Diao Q., Zhou Z., Wu W. Person Re-identification with pose variation aware data augmentation. *Neural Computing and Applications*. 2022. vol. 34. pp. 11817–11830. DOI: 10.1007/s00521-022-07071-1.
14. Li Y., Zhang T., Duan L., Xu C. A Unified Generative Adversarial Framework for Image Generation and Person Re-identification. *Proceedings of the 26th ACM international conference on Multimedia*. Seoul Republic of Korea: ACM, 2018. pp. 163–172. DOI: 10.1145/3240508.3240573.
15. Liu Z., Mu X., Lu Y., Zhang T., Tian Y. Learning transformer-based attention region with multiple scales for occluded person re-identification. *Computer Vision and Image Understanding*. 2023. vol. 229. DOI: 10.1016/j.cviu.2023.103652.
16. Wang T., Liu H., Song P., Guo T., Shi W. Pose-Guided Feature Disentangling for Occluded Person Re-identification Based on Transformer. *Proceedings of the AAAI Conference on Artificial Intelligence*. 2022. vol. 36. no. 3. pp. 2540–2549. DOI: 10.1609/aaai.v36i3.20155.
17. Ghosh A., Shanmugalingam K., Lin W.-Y. Relation Preserving Triplet Mining for Stabilising the Triplet Loss in Re-identification Systems. *Proceedings of the IEEE/CVF Winter Conference on Applications of Computer Vision (WACV)*. Waikoloa, HI, USA: IEEE. 2023. pp. 4829–4838. DOI: 10.1109/WACV56688.2023.00482.
18. Cheng D., Zhou J., Wang N., Gao X. Hybrid Dynamic Contrast and Probability Distillation for Unsupervised Person Re-Id. 2021. arXiv preprint arXiv:2109.14157.
19. Tang Z., Huang J. Harmonious Multi-branch Network for Person Re-identification with Harder Triplet Loss. *ACM Transactions on Multimedia Computing, Communications, and Applications (TOMM)*. vol. 18. no. 4. pp. 1–21. 2022. DOI: 10.1145/3501405.
20. Li J., Yang X. A Cyclical Learning Rate Method in Deep Learning Training. *Proceedings of the International Conference on Computer, Information and Telecommunication Systems (CITS)*. IEEE, 2020. pp. 1–5. DOI: 10.1109/CITS49457.2020.9232482.
21. Xiao T., Li H., Ouyang W., Wang X. Learning Deep Feature Representations with Domain Guided Dropout for Person Re-identification. 2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR). IEEE, 2016. pp. 1249–1258. DOI: 10.1109/CVPR.2016.140.
22. Shi J., et al. Dual Pseudo-Labels Interactive Self-Training for Semi-Supervised Visible-Infrared Person Re-Identification. *Proceedings of the IEEE/CVF International Conference on Computer Vision (ICCV)*. IEEE. 2023. pp. 11184–11194. DOI: 10.1109/ICCV51070.2023.01030.
23. Borlinghaus P., Tausch F., Rettenberger L. A Purely Visual Re-ID Approach for Bumblebees (*Bombus terrestris*). *Smart Agricultural Technology*. 2023. vol. 3. DOI: 10.1016/j.atech.2022.100135.
24. Gorlo N., Blomqvist K., Milano F., Siegwart R. ISAR: A Benchmark for Single- and Few-Shot Object Instance Segmentation and Re-Identification. *Proceedings of the IEEE/CVF Winter Conference on Applications of Computer Vision (WACV)*. IEEE, 2024. pp. 4372–4384. DOI: 10.1109/WACV57701.2024.00433.
25. Ahmad S., Scarpellini G., Morerio P., Bue A.D. Event-driven Re-Id: A New Benchmark and Method Towards Privacy-Preserving Person Re-Identification. *Proceedings of the IEEE/CVF Winter Conference on Applications of Computer Vision Workshops (WACVW)*. IEEE, 2022. pp. 459–468. DOI: 10.1109/WACVW54805.2022.00052.

26. Maximov M., Meinhardt T., Elezi I., Papakipos Z., Hazirbas C., Ferrer C.C., Leal-Taixé L. Data-Driven but Privacy-Conscious: Pedestrian Dataset De-identification via Full-Body Person Synthesis. 2023. arXiv preprint arXiv:2306.11710.
27. Hermans A., Beyer L., Leibe B. In Defense of the Triplet Loss for Person Re-Identification. 2017. arXiv preprint arXiv:1703.07737.
28. Li D., Chen X., Zhang Z., Huang K. Learning Deep Context-Aware Features over Body and Latent Parts for Person Re-identification. IEEE Conference on Computer Vision and Pattern Recognition (CVPR). IEEE, 2017. pp. 7398–7407. DOI: 10.1109/CVPR.2017.782.
29. Luo H., Wang P., Xu Y., Ding F., Zhou Y., Wang F., Li H., Jin R. Self-Supervised Pre-Training for Transformer-Based Person Re-Identification. 2021. arXiv preprint arXiv:2111.12084.

Idrissi Alami Mossaab — Ph.d. student, Faculty of sciences, Mohammed V University in Rabat. Research interests: big data engineering, computer engineering, SI administration. mossaab_idrissialami@um5.ac.ma; United Nations Avenue, Agdal, BP:8007.NU, Rabat, Morocco; office phone: +(212)661-065-800.

Ez-zahout Abderrahmane — Professor of computer science, Department of computer science/faculty of sciences, Mohammed V University in Rabat. Research interests: computer science, digital systems, big data, computer vision, intelligent systems. The number of publications — 30. a.ezzahout@um5r.ac.ma; United Nations Avenue, Agdal, BP:8007.NU, Rabat, Morocco; office phone: +(212)669-455-252.

Omary Fouzia — Leader of ipss team research, full professor of computer science, Department of computer science/ens, Mohammed V University in Rabat. Research interests: computer science, cyber-security, blockchain, cryptocurrency. The number of publications — 18. f.omary@um5r.ac.ma; United Nations Avenue, Agdal, BP:8007.NU, Rabat, Morocco; office phone: +(212)661-391-420.

М. Идрисси Алами, А. Эз-захут, Ф. Омари
**УЛУЧШЕННАЯ ПОВТОРНАЯ ИДЕНТИФИКАЦИЯ ЛЮДЕЙ
В СИСТЕМАХ ВИДЕОНАБЛЮДЕНИЯ С ИСПОЛЬЗОВАНИЕМ
ГЛУБОКОГО ОБУЧЕНИЯ: СТРУКТУРА ДЛЯ РЕАЛЬНЫХ
ПРИЛОЖЕНИЙ**

Идрисси Алами М., Эз-захут А., Омари Ф. Улучшенная повторная идентификация людей в системах видеонаблюдения с использованием глубокого обучения: структура для реальных приложений.

Аннотация. Повторная идентификация людей (ReID) играет ключевую роль в современном видеонаблюдении, обеспечивая непрерывное отслеживание людей по различным камерам видеонаблюдения и повышая эффективность систем общественной безопасности. Однако повторная идентификация людей на реальных записях камер видеонаблюдения сопряжена с определенными трудностями, включая изменения углов обзора камеры, вариации освещения, частичные окклюзии и схожий внешний вид людей. В этой статье мы предлагаем надежную структуру глубокого обучения, которая использует сверточные нейронные сети (CNNs) с настраиваемой функцией потери триплетов для преодоления этих препятствий и повышения точности повторной идентификации. Система разработана таким образом, чтобы генерировать уникальные векторные представления признаков для отдельных людей, что позволяет точно различать их даже в сложных условиях окружающей среды. Чтобы подтвердить правильность нашего подхода, мы проводим обширные оценки на эталонных наборах данных ReID, достигая передовых результатов как по точности, так и по скорости обработки. Эффективность нашей модели оценивается с использованием ключевых метрик, включая кумулятивную характеристику соответствия (CMC) и среднюю точность (mAP), что демонстрирует ее надежность в различных сценариях наблюдения. По сравнению с существующими методами, наш подход неизменно превосходит их как по точности, так и по масштабируемости, что делает его пригодным для интеграции в крупномасштабные системы видеонаблюдения. Кроме того, мы обсуждаем практические аспекты по внедрению моделей ReID на основе ИИ в инфраструктуру видеонаблюдения, включая масштабируемость системы, возможности работы в режиме реального времени и вопросы конфиденциальности. Совершенствуя методы повторной идентификации людей, эта работа не только вносит вклад в область интеллектуального наблюдения, но и обеспечивает основу для повышения общественной безопасности в реальных приложениях с помощью автоматизированных и надежных возможностей отслеживания.

Ключевые слова: повторная идентификация людей (ReID), видеонаблюдение, глубокое обучение, сверточные нейронные сети (CNNs), реальные приложения.

Литература

1. Ye M., Shen J., Lin G., Xiang T., Shao L., Hoi S.C.H. Deep Learning for Person Re-identification: A Survey and Outlook. 2021. arXiv preprint arXiv:2001.04193. DOI: 10.48550/arXiv.2001.04193.
2. Guo J., Yuan Y., Huang L., Zhang C., Yao J.-G., Han K. Beyond Human Parts: Dual Part-Aligned Representations for Person Re-Identification. Proceedings of the IEEE/CVF International Conference on Computer Vision (ICCV). IEEE, 2019. pp. 3641–3650. DOI: 10.1109/ICCV.2019.00374.

3. Liao W., Yang M.Y., Zhan N., Rosenhahn B. Triplet-Based Deep Similarity Learning for Person Re-Identification. Proceedings of the IEEE International Conference on Computer Vision Workshops (ICCVW). IEEE, 2017. pp. 385–393. DOI: 10.1109/ICCVW.2017.52.
4. Chen Y., Zhu X., Gong S. Person Re-identification by Deep Learning Multi-scale Representations. Proceedings of the IEEE International Conference on Computer Vision Workshops (ICCVW). IEEE, 2017. pp. 2590–2600. DOI: 10.1109/ICCVW.2017.304.
5. Aldoseri A., Al-Khalifa K.N., Hamouda A.M. AI-Powered Innovation in Digital Transformation: Key Pillars and Industry Impact. Sustainability. 2024. vol. 16. no. 5. DOI: 10.3390/su16051790.
6. Ming Z., Zhu M., Wang X., Zhu J., Cheng J., Gao C., Yang Y., Wei X. Deep learning-based person re-identification methods: A survey and outlook of recent works. 2022. arXiv preprint arXiv:2110.04764.
7. Chen H., Wang Y., Lagadec B., Dantcheva A., Bremond F. Learning Invariance from Generated Variance for Unsupervised Person Re-identification. 2023. arXiv preprint arXiv:2301.00725.
8. Xu J., Zhao R., Zhu F., Wang H., Ouyang W. Attention-Aware Compositional Network for Person Re-identification. Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition. IEEE, 2018. pp. 2119–2128. DOI: 10.1109/CVPR.2018.00226.
9. Tene O. Privacy: The new generations. International Data Privacy Law. 2011. vol. 1. no. 1. pp. 15–27. DOI: 10.1093/idpl/ipq003.
10. Zheng L., Shen L., Tian L., Wang S., Wang J., Tian Q. Scalable Person Re-identification: A Benchmark. Proceedings of the IEEE International Conference on Computer Vision (ICCV). IEEE, 2015. pp. 1116–1124. DOI: 10.1109/ICCV.2015.133.
11. Ristani E., Solera F., Zou R.S., Cucchiara R., Tomasi C. Performance Measures and a Data Set for Multi-Target, Multi-Camera Tracking. 2016. arXiv preprint arXiv:1609.01775.
12. Uc-Cetina V., Alvarez-Gonzalez L., Martin-Gonzalez A. A Review on Generative Adversarial Networks for Data Augmentation in Person Re-Identification Systems. 2023. arXiv preprint arXiv:2302.09119.
13. Zhang L., Jiang N., Diao Q., Zhou Z., Wu W. Person Re-identification with pose variation aware data augmentation. Neural Computing and Applications. 2022. vol. 34. pp. 11817–11830. DOI: 10.1007/s00521-022-07071-1.
14. Li Y., Zhang T., Duan L., Xu C. A Unified Generative Adversarial Framework for Image Generation and Person Re-identification. Proceedings of the 26th ACM international conference on Multimedia. Seoul Republic of Korea: ACM, 2018. pp. 163–172. DOI: 10.1145/3240508.3240573.
15. Liu Z., Mu X., Lu Y., Zhang T., Tian Y. Learning transformer-based attention region with multiple scales for occluded person re-identification. Computer Vision and Image Understanding. 2023. vol. 229. DOI: 10.1016/j.cviu.2023.103652.
16. Wang T., Liu H., Song P., Guo T., Shi W. Pose-Guided Feature Disentangling for Occluded Person Re-identification Based on Transformer. Proceedings of the AAAI Conference on Artificial Intelligence. 2022. vol. 36. no. 3. pp. 2540–2549. DOI: 10.1609/aaai.v36i3.20155.
17. Ghosh A., Shanmugalingam K., Lin W.-Y. Relation Preserving Triplet Mining for Stabilising the Triplet Loss in Re-identification Systems. Proceedings of the IEEE/CVF Winter Conference on Applications of Computer Vision (WACV). Waikoloa, HI, USA: IEEE. 2023. pp. 4829–4838. DOI: 10.1109/WACV56688.2023.00482.

18. Cheng D., Zhou J., Wang N., Gao X. Hybrid Dynamic Contrast and Probability Distillation for Unsupervised Person Re-Id. 2021. arXiv preprint arXiv:2109.14157.
19. Tang Z., Huang J. Harmonious Multi-branch Network for Person Re-identification with Harder Triplet Loss. *ACM Transactions on Multimedia Computing, Communications, and Applications (TOMM)*. vol. 18. no. 4. pp. 1–21. 2022. DOI: 10.1145/3501405.
20. Li J., Yang X. A Cyclical Learning Rate Method in Deep Learning Training. *Proceedings of the International Conference on Computer, Information and Telecommunication Systems (CITS)*. IEEE, 2020. pp. 1–5. DOI: 10.1109/CITS49457.2020.9232482.
21. Xiao T., Li H., Ouyang W., Wang X. Learning Deep Feature Representations with Domain Guided Dropout for Person Re-identification. 2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR). IEEE, 2016. pp. 1249–1258. DOI: 10.1109/CVPR.2016.140.
22. Shi J., et al. Dual Pseudo-Labels Interactive Self-Training for Semi-Supervised Visible-Infrared Person Re-Identification. *Proceedings of the IEEE/CVF International Conference on Computer Vision (ICCV)*. IEEE, 2023. pp. 11184–11194. DOI: 10.1109/ICCV51070.2023.01030.
23. Borlinghaus P., Tausch F., Rettenberger L. A Purely Visual Re-ID Approach for Bumblebees (*Bombus terrestris*). *Smart Agricultural Technology*. 2023. vol. 3. DOI: 10.1016/j.atech.2022.100135.
24. Gorlo N., Blomqvist K., Milano F., Siegwart R. ISAR: A Benchmark for Single- and Few-Shot Object Instance Segmentation and Re-Identification. *Proceedings of the IEEE/CVF Winter Conference on Applications of Computer Vision (WACV)*. IEEE, 2024. pp. 4372–4384. DOI: 10.1109/WACV57701.2024.00433.
25. Ahmad S., Scarpellini G., Morerio P., Bue A.D. Event-driven Re-Id: A New Benchmark and Method Towards Privacy-Preserving Person Re-Identification. *Proceedings of the IEEE/CVF Winter Conference on Applications of Computer Vision Workshops (WACVW)*. IEEE, 2022. pp. 459–468. DOI: 10.1109/WACVW54805.2022.00052.
26. Maximov M., Meinhardt T., Elezi I., Papakipos Z., Hazirbas C., Ferrer C.C., Leal-Taixé L. Data-Driven but Privacy-Conscious: Pedestrian Dataset De-identification via Full-Body Person Synthesis. 2023. arXiv preprint arXiv:2306.11710.
27. Hermans A., Beyer L., Leibe B. In Defense of the Triplet Loss for Person Re-Identification. 2017. arXiv preprint arXiv:1703.07737.
28. Li D., Chen X., Zhang Z., Huang K. Learning Deep Context-Aware Features over Body and Latent Parts for Person Re-identification. *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*. IEEE, 2017. pp. 7398–7407. DOI: 10.1109/CVPR.2017.782.
29. Luo H., Wang P., Xu Y., Ding F., Zhou Y., Wang F., Li H., Jin R. Self-Supervised Pre-Training for Transformer-Based Person Re-Identification. 2021. arXiv preprint arXiv:2111.12084.

Идрисси Алами Моссааб — аспирант, факультет наук, Рабатский Университет Мохаммеда V. Область научных интересов: инженерия больших данных, компьютерная инженерия, администрирование информационных систем. mossaab_idrissialami@um5.ac.ma; Проспект Организации Объединенных Наций, Агдаль, BP:8007.NU, Рабат, Марокко; р.т.: +(212)661-065-800.

Эз-захут Абдеррахман — профессор, департамент компьютерных наук/факультет наук, Рабатский Университет Мохаммеда V. Область научных интересов: информатика, цифровые системы, большие данные, компьютерное зрение, интеллектуальные системы.

Число научных публикаций — 30. a.ezzahout@um5r.ac.ma; Проспект Организации Объединенных Наций, Агдаль, ВР:8007.NU, Рабат, Марокко; р.т.: +(212)669-455-252.

Омари Фузия — руководитель исследовательской группы ipss, профессор, департамент компьютерных наук/ens, Рабатский Университет Мохаммеда V. Область научных интересов: компьютерные науки, кибербезопасность, блокчейн, криптовалюта. Число научных публикаций — 18. f.omary@um5r.ac.ma; Проспект Организации Объединенных Наций, Агдаль, ВР:8007.NU, Рабат, Марокко; р.т.: +(212)661-391-420.